

WINDOW FASHIONS

LIGHT FILTERING AND BLACKOUT SERIES









INTRODUCTION



CCB2002








Specifications

Light Filtering	Blackout

Code	CCB2002
Composition	100% Polyester
Coating	Acrylic foam backing
Color	coated
Openness	Blackout
Width(s)	230cm/280cm
Length	30-35mtr / roll
Weight	305g/m ² ± 5%(sqm)
Thickness	0.53 +/- 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.


Applications		
	PANEL	ROLLER



Specifications


Light Filtering	Blackout
Code	CCT2002
Composition	100% Polyester
Coating	Acrylic color-coating
Color	coated
Openness	Light Filtering
Width(s)	230cm/280cm
Length	40-50mtr / roll
Weight	145gsm +/- 20g (sqm)
Thickness	0.35 +/- 0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications


PANEL


ROLLER

KTR23035



KTR23035-002



KTR23035-003



KTR23035-004



KTR23035-005




KTR23035-006



Specifications


Light Filtering	Blackout
	
Code	KTR23035
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	dyed
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	172g/m ² ± 5% (sqm)
Thickness	0.39 +/- 0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL


ROLLER

FW23035



FW23035-002



FW23035-003



FW23035-004



FW23035-005



FW23035-006




Specifications

Light Filtering	Blackout

Code	FW23035
Composition	100% Polyester
Coating	Acrylic foam backing
Color	dyed
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	343g/m ² ± 5%(sqm)
Thickness	0.5 +/- 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications		
	PANEL	ROLLER

KTR23036



KTR23036-001



KTR23036-002



KTR23036-003



KTR23036-004



KTR23036-005




KTR23036-006



Specifications


Light Filtering	Blackout
	
Code	KTR23036
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	dyed
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	228g/m ² ± 5% (sqm)
Thickness	0.47 +/- 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications


PANEL


ROLLER

FW23036



FW23036-001



FW23036-002



FW23036-003



FW23036-004



FW23036-005



FW23036-006




Specifications

Light Filtering	Blackout

Code	FW23036
Composition	100% Polyester
Coating	Acrylic foam backing
Color	dyed
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	393g/m ² ± 5%(sqm)
Thickness	0.58+/- 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications		
	PANEL	ROLLER

KTR23038



KTR23038-001



KTR23038-002



KTR23038-003



KTR23038-004



KTR23038-005




KTR23038-006



Specifications


Light Filtering	Blackout
	
Code	KTR23038
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	dyed
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	171g/m ² ±5% (sqm)
Thickness	0.32 +/- 0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications


PANEL


ROLLER

FW23038




FW23038-001



FW23038-002



FW23038-003



FW23038-004



FW23038-005



FW23038-006




Specifications

Light Filtering	Blackout

Code	FW23038
Composition	100% Polyester
Coating	Acrylic foam backing
Color	dyed
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	393g/m ² ± 5%(sqm)
Thickness	0.47 ± 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications		
	PANEL	ROLLER

D23041



D23041-001



D23041-002



D23041-003



D23041-004



D23041-005




D23041-006



Specifications

Light Filtering	Blackout
Code	D23041
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	dyed
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	114g/m ² ± 5% (sqm)
Thickness	0.32 +/- 0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL




ROLLER



ROMAN

D23052



D23052-001



D23052-002



D23052-003




D23052-004



D23052-005



D23052-006



Specifications


Light Filtering

Blackout



Code	D23052
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	color-yarn woven
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	173g/m ² ± 5% (sqm)
Thickness	0.47 +/- 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL




ROLLER



ROMAN

FW23052



FW23052-001



FW23052-002



FW23052-003




FW23052-004



FW23052-005



FW23052-006




Specifications

Light Filtering	Blackout

Code	FW23052
Composition	100% Polyester
Coating	Acrylic foam backing
Color	color-yarn woven
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	380g/m ² ±5%(sqm)
Thickness	0.6±0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications		
	PANEL	ROLLER

D23053



Specifications


Light Filtering

Blackout



Code	D23053
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	color-yarn woven
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	110g/m ² ±5% (sqm)
Thickness	0.45 +/- 0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL




ROLLER



ROMAN


FW23053




FW23053-001



FW23053-002



FW23053-003



FW23053-004



FW23053-005



FW23053-006



FW23053-007



FW23053-008




Specifications

Light Filtering	Blackout

Code	FW23053
Composition	100% Polyester
Coating	Acrylic foam backing
Color	color-yarn woven
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	260g/m ² ±5%(sqm)
Thickness	0.55±0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications		
	PANEL	ROLLER


D23054



Specifications

Light Filtering	Blackout
Code	D23054
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	color-yarn woven
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	190g/m ² ± 5% (sqm)
Thickness	0.6 +/- 0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL




ROLLER



ROMAN

FW23054




FW23054-001




FW23054-002



FW23054-003



FW23054-004



FW23054-005



FW23054-006



FW23054-007



FW23054-008




Specifications

Light Filtering	Blackout


Code	FW23054
Composition	100% Polyester
Coating	Acrylic foam backing
Color	color-yarn woven
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	370g/m ² ±5%(sqm)
Thickness	0.7±0.03mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL


ROLLER

D23055



D23055-001



D23055-002



D23055-003



D23055-004



D23055-005



D23055-006



Specifications


Light Filtering

Blackout



Code	D23055
Composition	100% Polyester
Coating	Acrylic transparent-coating
Color	color-yarn woven
Openness	Light Filtering
Width(s)	280cm
Length	40-50mtr / roll
Weight	220g/m ² ± 5% (sqm)
Thickness	0.7 +/- 0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL




ROLLER




ROMAN

FW23055



FW23055-001



FW23055-002



FW23055-003



FW23055-004



FW23055-005



FW23055-006




Specifications

Light Filtering

Blackout

Code	FW23055
Composition	100% Polyester
Coating	Acrylic foam backing
Color	color-yarn woven
Openness	Blackout
Width(s)	280cm
Length	30-35mtr / roll
Weight	370g/m ² ±5%(sqm)
Thickness	0.75±0.05mm
Railroadable	No
Cutting	Knife, Crush, Ultrasonic
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak. Applications do not use any other solvent. And do not rub.

Applications



PANEL



ROLLER