

WINDOW FASHIONS

SUNSCREEN BLIND






INTRODUCTION




PSC-F1




PSC-F1-501




PSC-F1-502



PSC-F1-503



PSC-F1-504



PSC-F1-505




PSC-F1-507



Specifications

Code	PSC-F1
Composition	30% Polyester 70% PVC
OpennessFactor	5%
Width	200cm/250cm/300cm
Thickness	0.67mm±5%
Weight per m²	434g/m²±5%
Yarn Count	48*46
Breaking strength	Warp 1310N/5cm Weft 1420N/5cm
length	30mtr/roll

Applications




PANEL



ROLLER

PSC-F2



PSC-F2-801



PSC-F2-802



PSC-F2-804




PSC-F2-803



Specifications

Code	PSC-F2
Composition	30% Polyester 70% PVC
OpennessFactor	8%
Width	250cm/300cm
Thickness	0.85mm±5%
Weight per m²	428g/m²±5%
Yarn Count	50*44
Breaking strength	Warp 1670N/5cm Weft 1480N/5cm
length	30mtr/roll

Applications




PANEL




ROLLER


PSC-F3





PSC-F3-301



PSC-F3-302




PSC-F3-303



Specifications

Code	PSC-F3
Composition	30% Polyester 70% PVC
OpennessFactor	3%
Width	200cm/250cm/300cm
Thickness	0.69mm±5%
Weight per m²	476g/m²±5%
Yarn Count	36*30
Breaking strength	Warp 2040N/5cm Weft 1340N/5cm
length	30mtr/roll

Applications




PANEL



ROLLER


PSC-F4



Specifications

Code	PSC-F4
Composition	30% Polyester 70% PVC
OpennessFactor	1%
Width	200cm/250cm/300cm
Thickness	0.7mm±5%
Weight per m²	470g/m²±5%
Yarn Count	64*40
Breaking strength	Warp 2060N/5cm Weft 1300N/5cm
length	30mtr/roll

Applications




PANEL




ROLLER

PSC-F5




PSC-F5-101




PSC-F5-102



PSC-F5-103




PSC-F5-104



Specifications

Code	PSC-F5
Composition	30% Polyester 70% PVC
OpennessFactor	1%
Width	200cm/250cm/300cm
Thickness	0.73mm±5%
Weight per m²	525g/m²±5%
Yarn Count	82*34
Breaking strength	Warp 2740N/5cm Weft 1200N/5cm
length	30mtr/roll

Applications




PANEL




ROLLER


PSC-F6





PSC-F6-101



PSC-F6-102




PSC-F6-103



Specifications

Code	PSC-F6
Composition	30% Polyester 70% PVC
OpennessFactor	1%
Width	200cm/250cm/300cm
Thickness	0.99mm±5%
Weight per m²	720g/m²±5%
Yarn Count	50*16
Breaking strength	Warp 3824N/5cm Weft 1224N/5cm
length	30mtr/roll

Applications




PANEL



ROLLER

PSC-F7




PSC-F7-501



PSC-F7-502




PSC-F7-503



Specifications

Code	PSC-F7
Composition	30% Polyester 70% PVC
OpennessFactor	5%
Width	200cm/250cm/300cm
Thickness	0.5mm±5%
Weight per m²	360g/m²±5%
Yarn Count	22*10
Breaking strength	Warp 1780N/5cm Weft 1050N/5cm
length	30mtr/roll

Applications




PANEL




ROLLER

PSC0051



PSC0051-001



PSC0051-002




PSC0051-003



Specifications

Code	PSC0051
Composition	30% Polyester 70% PVC
OpennessFactor	0%
Width	200cm/250cm/300cm
Thickness	0.69mm±5%
Weight per m²	590g/m²±5%
Yarn Count	48*26
Breaking strength	Warp 380LB Weft 380LB
length	30mtr/roll

Applications




PANEL




ROLLER

PSC0052



PSC0052-001



PSC0052-002




PSC0052-003



Specifications

Code	PSC0052
Composition	30% Polyester 70% PVC
OpennessFactor	5%
Width	200cm/250cm/300cm/320cm/340cm
Thickness	0.63mm±5%
Weight per m²	400g/m²±5%
Yarn Count	48*26
Breaking strength	Warp 380LB Weft 380LB
length	30mtr/roll

Applications




PANEL




ROLLER

PSC0053



PSC0053-001



PSC0053-002




PSC0053-003




PSC0053-005




PSC0053-006




PSC0053-008



PSC0053-009



PSC0053-011




PSC0053-012



Specifications

Code	PSC0053
Composition	30% Polyester 70% PVC
OpennessFactor	5%
Width	200cm/250cm/300cm/320cm/340cm
Thickness	0.73mm±5%
Weight per m²	520g/m²±5%
Yarn Count	36*36
Breaking strength	Warp 410LB Weft 410LB
length	30mtr/roll

Applications






PANEL



ROLLER


PSC0055-56



Specifications

Code	PSC0055-56
Composition	30% Polyester 70% PVC
OpennessFactor	5%
Width	200cm/250cm/300cm/320cm/340cm
Thickness	0.6mm±5%
Weight per m²	440g/m²±5%
Yarn Count	48*48
Breaking strength	Warp380LB Weft 380LB
length	30mtr/roll

Applications



PANEL



ROLLER